

SPACE CRITERIA SHEET					
CONSTRUCT DEEPWATER TEW BUILDING			SFRL No.:	75-2724117	
TRACEN YORKTOWN, VA			Date:	2011-11	
SPACE NAME	ENGINE LAB BATTERY AREA			SPACE TYPE	INDUSTRIAL
ACTIVITY	Store battery that powers running engine mock-up;				
ROOM NO.	112D	114D			
FURNITURE	QTY	ITEM		QTY	ITEM
EQUIPMENT	1	Shelf or Rack (Min. 2' Deep x 8' Wide)			
GOVERNMENT FURNISHED; CONTRACTOR INSTALLED					
GOVERNMENT FURNISHED; GOVERNMENT INSTALLED					
FINISHES	CEILING	9' H			
	FLOOR	Sealed Concrete			
	WALLS	Painted CMU; Slab to Slab			
	DOOR				
SOUND ATTENUATION	CEILING				
	FLOOR				
	WALLS				
	DOOR				
UTILITY SERVICES	MECH.	HVAC; Special Ventilation			
	PLMB'G				
	ELECT.	Provide lighting and power per Specifications Section 01158, 1.13.			
	COMM.	Provide per Specifications Section 01158, 1.14.			
OTHER		Provide floor drain.			
NOTES:	Slope floor toward floor drains				